



2020

Anthony — the Industry Leader in Glass Refrigeration Cooler & Freezer Doors and Merchandising Systems.

# DOORS

NORMAL | HIGH HUMIDITY | LOW TEMP

Anthony® doors allow your merchandise to be at center stage, beautifully illuminated with our lighting technology and within arm's reach of the shopper. The next step in enhancing the shopper experience is selecting the right door.

In need of a rugged and robust solution, both our 401 and 101 series are proven the most durable, reliable, and versatile doors in the industry. Looking to optimize merchandising, our Vista® C Series and Infinity® 60 Series will captivate your shoppers! Our true gem is our Infinity® 90 Series which delivers the best of both worlds— a rugged and robust design with our Infinity Edge design for optimized merchandising.

Choose from various colors, finishes and swings to match your store aesthetics, pack-out and shopping engagement objectives.







# 401 Series




- Key Features**
- Trimline Handle
  - Optimax Radiant OP30 LED
  - 24" Deep Shelving

RUGGED & ROBUST



Metal Edge Standard Swing



3-Pane Glass Pack

## FEATURES / BENEFITS

- Our entry level door is economical and designed for applications requiring strong and robust doors; sits in a low-energy frame with enhanced insulation with robust construction that ensures years of reliable performance.
- 3-pane, non-heated, low-E glass with argon gas for normal temp; high-efficiency krypton gas for high-humidity and low-temp applications.
- Hold-open feature allows easy stocking and shoppers easy access to merchandise.
- Door stop feature limits how far the door opens to minimize impact with adjacent doors and shoppers.
- Energy-saving Optimax Radiant LED lights for enhanced illumination.

SHOWN ABOVE

Black 401 Series with Trimline Handle



Normal & Low Temp

SIZES AVAILABLE

NORMAL TEMP		NORMAL TEMP - HIGH HUMIDITY		LOW TEMP	
3-PANE GLASS PACK W/ ARGON GAS 75°F, 55% RH AMBIENT / 35°F WALK-IN		3-PANE GLASS PACK W/ KRYPTON GAS 75°F, 65% RH AMBIENT / 35°F WALK-IN		3-PANE GLASS PACK W/ KRYPTON GAS 75°F, 55% RH AMBIENT / -10°F WALK-IN	
24" W x 67" T	28" W x 75" T	24" W x 67" T	28" W x 75" T	24" W x 67" T	30" W x 75" T
26" W x 67" T	30" W x 75" T	26" W x 67" T	30" W x 75" T	26" W x 67" T	24" W x 79" T
28" W x 67" T	24" W x 79" T	28" W x 67" T	24" W x 79" T	30" W x 67" T	26" W x 79" T
30" W x 67" T	26" W x 79" T	30" W x 67" T	26" W x 79" T	24" W x 75" T	28" W x 79" T
24" W x 75" T	28" W x 79" T	24" W x 75" T	28" W x 79" T	26" W x 75" T	30" W x 79" T
26" W x 75" T	30" W x 79" T	26" W x 75" T	30" W x 79" T	28" W x 75" T	

## OPTIONS / UPGRADES

- Matching Pass-Thru Door Available
- LifePlus Gasket® Upgrade
- Anti-Fog
- Various Lock Options
- Gravity Flow Shelving
- Gravity Flow Merchandising
- Roll-A-Way Cart Options


# 101 Series



## Key Features

- + Slimline Handle
- + Optimax Radiant OP45 LED
- + 27" Deep Flat Shelving
- + LifePlus Gasket® 3-year Warranty
- + French Swing Option

RUGGED & ROBUST



## FEATURES / BENEFITS

- Our flagship door has proven durability for long-life and heavy traffic; robust construction that ensures years of reliable performance.
- 3-pane, non-heated, low-E glass with argon gas for normal temp; high-efficiency krypton gas for high-humidity and low-temp applications.
- Lifeplus Gasket® with 3-year replacement, 1-year parts and labor warranty.
- Hold-open feature allows easy stocking and shoppers easy access to all of the merchandise.
- Door stop feature limits how far the door opens to minimize impact with adjacent doors and shoppers.
- Available in single or French swing door options.
- Energy-saving Optimax Radiant LED lights for enhanced illumination.

SHOWN ABOVE

Silver Serrated 101 Series with Slimline Handle



SIZES AVAILABLE

NORMAL TEMP		NORMAL TEMP - HIGH HUMIDITY		LOW TEMP	
3-PANE GLASS PACK W/ ARGON GAS 75°F, 55% RH AMBIENT / 35°F WALK-IN		3-PANE GLASS PACK W/ KRYPTON GAS 75°F, 65% RH AMBIENT / 35°F WALK-IN		3-PANE GLASS PACK W/ KRYPTON GAS 75°F, 55% RH AMBIENT / -10°F WALK-IN	
24" W x 67" T	36" W x 75" T	24" W x 67" T	36" W x 75" T	24" W x 67" T	30" W x 75" T
26" W x 67" T	24" W x 79" T	26" W x 67" T	24" W x 79" T	26" W x 67" T	36" W x 75" T
30" W x 67" T	26" W x 79" T	30" W x 67" T	26" W x 79" T	30" W x 67" T	24" W x 79" T
24" W x 75" T	28" W x 79" T	24" W x 75" T	28" W x 79" T	24" W x 75" T	26" W x 79" T
26" W x 75" T	30" W x 79" T	26" W x 75" T	30" W x 79" T	26" W x 75" T	28" W x 79" T
28" W x 75" T	36" W x 79" T	28" W x 75" T	36" W x 79" T	28" W x 75" T	30" W x 79" T
30" W x 75" T		30" W x 75" T		30" W x 75" T	

## OPTIONS / UPGRADES

- Matching Pass-Thru Door Available
- Anti-Fog  
(for Cooler Normal Temp Applications Only)
- Various Lock Options
- Double-Wide Shelving
- Gravity Flow Shelving
- Gravity Flow Merchandising
- Roll-A-Way Cart Options
- Heavy-Duty Beer Cave Option

# INFINITY® 90 Series

## Key Features

- Vista Arch Handle
- Optimax Radiant OP45 LED
- 27" Deep Shelving
- LifePlus Gasket® 3-year Warranty
- French Swing Option
- Infinity Edge Glass



OPTIMIZED MERCHANDISING



Normal & Low Temp

SHOWN ON LEFT

Silver Infinity 90 Series with Vista Arch Handle and Cylinder Locks


# A contemporary, all-glass design incorporates an Infinity Edge for a superior, unobstructed display.

## FEATURES / BENEFITS


- Robust, aluminum door rails ensure years of reliable performance.
- A slim, 0.90" masking provides a stylish all-glass design with large viewing area.
- 3-pane, 1.25" thick glass pack.
- Lifeplus Gasket® with 3-year replacement, 1-year parts and labor warranty.
- Hold-open feature allows easy stocking and shoppers easy access to merchandise.
- Door stop feature limits how far the door opens to minimize impact with adjacent doors and shoppers.
- Energy-saving Optimax Radiant LED lights for enhanced illumination.

## OPTIONS / UPGRADES

- Matching Pass-Thru Door Available
- Optimax Radiant OP55 LED  
(for French Swing Applications Only)
- Upgrade to Full-Length Handle
- Cylinder Lock Add-On
- Electronic Auto-Lock Add-On  
(for Cooler Normal Temperature Applications Only)
- Anti-Fog Add-On  
(for Cooler Normal Temperature Applications Only)
- Double-Wide Shelving
- Gravity Flow Shelving
- Gravity Flow Merchandising
- Roll-A-Way Cart Options



Infinity Edge  
French Door



Infinity Edge  
Standard Swing



3-Pane  
Glass Pack

SIZES AVAILABLE

### NORMAL TEMP

3-PANE GLASS PACK W/ ARGON GAS  
75°F, 55% RH AMBIENT / 35°F WALK-IN

24" W x 75" T  
26" W x 75" T  
28" W x 75" T  
30" W x 75" T  
26" W x 79" T  
28" W x 79" T  
30" W x 79" T

### NORMAL TEMP - HIGH HUMIDITY

3-PANE GLASS PACK W/ KRYPTON GAS  
75°F, 65% RH AMBIENT / 35°F WALK-IN

24" W x 75" T  
26" W x 75" T  
28" W x 75" T  
30" W x 75" T  
26" W x 79" T  
28" W x 79" T  
30" W x 79" T

### LOW TEMP

3-PANE GLASS PACK W/ KRYPTON GAS  
75°F, 55% RH AMBIENT / -10°F WALK-IN


24" W x 67" T      30" W x 75" T  
26" W x 67" T      36" W x 75" T  
30" W x 67" T      24" W x 79" T  
24" W x 75" T      26" W x 79" T  
26" W x 75" T      28" W x 79" T  
28" W x 75" T      30" W x 79" T

# VISTA<sup>®</sup> C Series

2017  
DOE  
COMPLIANT

## Key Features

- Full-Length Handle
- Optimax Radiant OP55 LED
- Double-Wide Flat Shelving
- French Swing Standard



Metal Edge  
French Door



2-Pane  
Glass Pack

## FEATURES / BENEFITS

- Energy-free doors deliver optimal cost savings.
- The design makes the most of thin 0.88", 2-pane, argon-filled, non-heated glass pack and heat-reflective, low-E glass.
- Narrow, full-wrap aluminum door rails, thin Vista handle and no center mullions all improve shoppers' visibility and access.
- Hold-open feature allows easy stocking and shoppers easy access to merchandise.
- Door stop feature limits how far the door opens to minimize impact with adjacent doors and shoppers.
- Energy-saving Optimax Radiant LED lights for enhanced illumination.

### SHOWN ABOVE

Silver Vista C Series French Swing  
with Vista Arch Handle

## SIZES AVAILABLE

### NORMAL TEMP

2-PANE GLASS PACK W/ ARGON GAS  
75°F, 55% RH AMBIENT / 35°F WALK-IN


- 24" W x 67" T
- 24" W x 75" T
- 24" W x 79" T
- 26" W x 75" T
- 30" W x 67" T
- 30" W x 75" T
- 30" W x 79" T

Vista<sup>®</sup> C door provides a sleek design that offers high visibility with extreme convenience.

## OPTIONS / UPGRADES

- Anti-Fog
- Vista Arch Handle
- Frame-Mounted Cylinder Lock
- POM Lock  
(Not Available with Full-Length Handle)
- Double-Wide Shelving
- Gravity Flow Shelving
- Gravity Flow Merchandising
- Roll-A-Way Cart Options

OPTIMIZED MERCHANDISING



Normal  
Temp



# INFINITY® 60 Series




## Key Features

- Vista Arch Handle
- Optimax Radiant OP55 LED
- Double-Wide Flat Shelving
- + French Swing Standard
- + Infinity Edge Glass



OPTIMIZED MERCHANDISING



Infinity Edge French Door



2-Pane Glass Pack

## FEATURES / BENEFITS

- Aluminum door rails ensure years of reliable performance and additional energy efficiency.
- 2-pane, non-heated, low-E glass pack; 0.82" thick with argon gas.
- Hold-open feature allows easy stocking and shoppers easy access to all of the merchandise.
- Ultra-thin, 0.62" masking, all-glass doors, no center mullion and thin Vista handle increase product visibility and shopper access to merchandise.
- Door stop feature limits how far the door opens to minimize impact with adjacent doors and shoppers.
- Available in single or French swing door options.
- Energy-saving Optimax Radiant LED lights for enhanced illumination.

SHOWN ABOVE

Silver Infinity 60 Series French Swing with Vista Arch Handle

## SIZES AVAILABLE

### NORMAL TEMP


2-PANE LOW E GLASS PACK W/ARGON GAS  
75°F, 55% RH AMBIENT/ 35°F WALK-IN

24" W x 55" T	28" W x 73" T
24" W x 58" T	28" W x 75" T
24" W x 67" T	28" W x 79" T
24" W x 75" T	30" W x 75" T
24" W x 81" T	30" W x 79" T

This Infinity Edge design maximizes product visibility for a friendlier, more accessible shopper experience.

## OPTIONS / UPGRADES

- Anti-Fog
- Frame-Mounted Cylinder Lock
- POM Lock
- Double-Wide Shelving
- Gravity Flow Shelving
- Gravity Flow Merchandising
- Roll-A-Way Cart Options



Normal Temp

Anthony Pass-Thru doors are designed to match your door lineups. Sturdy and attractive Anthony Pass-Thru doors provide easy access to your walk-in coolers.

## AVAILABLE IN

- Normal Temperature
- Normal Temperature High - Humidity

## AVAILABLE ON MODELS

- 401 Series
- 101 Series
- Infinity 90 Series

## FEATURES / BENEFITS

- 90° door stop/auto hold-open
- Standard finishes and handles to match reach-in doors
- Adjustable vinyl wiper seals
- Torquemaster™ for door sag and tension adjustment
- ADA-compliant in size 38" X 81"

## OPTIONS / UPGRADES

- Bumper Bar
- Bottom Frame Threshold
- Round Push Bar
- Cylinder Lock
- Diamond Plate or Stainless Steel Kick Plate 10" High

SHOWN RIGHT  
Black 101 Series  
Pass-Thru Door with Push Bar



# DOOR SELECTION GUIDE

	Normal Temp					Low Temp		
	401 Series	101 Series	Infinity 90	Infinity 60	Vista C	401 Series	101 Series	Infinity 90
<b>Application</b>								
Cooler	Yes	Yes	Yes	Yes	Yes			
Freezer						Yes	Yes	Yes
Pass-Thru	Yes	Yes	Yes			Yes	Yes	Yes
Heavy-Duty Beer Cave		Optional						
<b>Category</b>								
Rugged & Robust	Yes	Yes	Yes			Yes	Yes	Yes
Optimized Merchandising			Yes	Yes	Yes			Yes
<b>Temperature/Environment</b>								
Normal Temp: 75°F, 55% RH Ambient/ 35°F Walk-In	Yes	Yes	Yes	Yes	Yes			
High Humidity: 75°F, 65% RH Ambient/ 35°F Walk-In	Yes	Yes	Yes					
Low Temp: 75°F, 55% RH Ambient/ -10°F Walk-In						Yes	Yes	Yes
<b>Energy Consumption*</b>								
Normal Temperature	2.19 kWh/Day	2.10 kWh/Day	2.10 kWh/Day	1.67 kWh/Day	1.61 kWh/Day			
Normal Temperature - High Humidity	2.85 kWh/Day	2.85 kWh/Day	2.85 kWh/Day					
Low Temperature						6.13 kWh/Day	6.13 kWh/Day	6.13 kWh/Day
<b>Standard Package Options</b>								
Energy Controller	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Magnetic Door Gaskets	Yes	Yes	Yes			Yes	Yes	Yes
Aircell PVC Gasket	Standard			Standard	Standard			
LifePlus Gasket®	Optional	Standard	Standard			Optional	Standard	Standard
Automatic Hold-Open & Door Stop	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hinge Pin	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Torque & Sag Adjust	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Reversible Door	Yes	Yes	Yes			Yes	Yes	Yes
Door Handle	Trimline	Slimline	Vista Arch	Vista Arch	Full Length	Trimline	Slimline	Vista Arch
Full-Length Handle	Optional	Optional	Optional		Standard	Optional	Optional	Optional
<b>Lighting Options</b>								
Lighting - Optimax 30 Standard Swing	Standard					Standard		
Lighting - Optimax 45 Standard Swing	Optional	Standard	Standard			Optional	Standard	Standard
Lighting - Optimax 55 French Swing		Optional	Optional	Standard	Standard			
<b>Swing Availability</b>								
Standard L/R	Standard	Standard	Standard			Standard	Standard	Standard
French Swing without Mullion		Optional	Optional	Standard	Standard			
French Swing with Mullions	Optional	Optional	Optional			Optional	Optional	Optional

# DOOR OPTIONS

Customize your Reach-In to meet your energy needs, and pick the perfect handle and finishes to match your store.

## Door Handle Options

### Trimline Handle Options



### Slimline Handle Options



### Vista Arch Handle Options



Full-length Handle

## Door Rail Finishes



	Normal Temp					Normal Temp - High Humidity			Low Temp		
	401 Series	101 Series	Infinity 60	Infinity 90	Vista C	401 Series	101 Series	Infinity 90	401 Series	101 Series	Infinity 90
<b>Application Category</b>											
Rugged & Robust	Yes	Yes		Both		Yes	Yes		Yes	Yes	
Optimized Merchandising			Yes		Yes				Both		
<b>Door Sizes*</b>											
Widths (inches)	24, 26, 28, & 30	24, 26, 28, 30, & 36	24, 26, 28, & 30	24, 26, 28, & 30	24, 26, & 30	24, 26, 28, & 30	24, 26, 28, 30, & 36	24, 26, 28, & 30	24, 26, 28, & 30	24, 26, 28, & 30	24, 26, 28, & 30
Heights (inches)	67, 75, & 79	67, 75, & 79	67, 75, & 79	75 & 79	67, 75, & 79	67, 75, & 79	67, 75, & 79	75 & 79	67, 75, & 79	67, 75, & 79	67, 75, & 79
<b>Rail Finishes</b>											
Smooth or Serrated Silver	Yes	Yes				Yes	Yes		Yes	Yes	
Smooth or Serrated Gold	Yes	Yes				Yes	Yes		Yes	Yes	
Satin Silver	Upgrade	Upgrade			Yes	Upgrade	Upgrade		Upgrade	Upgrade	
Black	Yes	Yes			Yes	Yes	Yes		Yes	Yes	
Infinity Edge Satin Silver			Yes	Yes				Yes			Yes
Infinity Edge Black			Yes	Yes				Yes			Yes
<b>Door Rail Attributes</b>											
Glass Pack	3-Panes	3-Panes	2-Panes	3-Panes	2-Panes	3-Panes	3-Panes	3-Panes	3-Panes	3-Panes	3-Panes
Rail Material	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
Door Thickness	1.25"	1.25"	0.625"	1.25"	0.875"	1.25"	1.25"	1.25"	1.25"	1.25"	1.25"
Rail Design	Decorator	Decorator	Infinity Edge	Infinity Edge	U-Shaped	Decorator	Decorator	Infinity Edge	Decorator	Decorator	Infinity Edge
Door Rail Width (glass masking)	1.50"	1.50"	0.625"	0.90"	1.0"	1.50"	1.50"	0.90"	1.50"	1.50"	0.90"
<b>Door Handle Options</b>											
Trimline	Standard					Standard			Standard		
Slimline	Upgrade	Standard				Upgrade	Standard		Upgrade	Standard	
Vista Arch		Upgrade	Standard	Standard	Upgrade		Upgrade	Standard		Upgrade	Standard
Clean Grip		Upgrade					Upgrade			Upgrade	
Soft Touch		Upgrade					Upgrade			Upgrade	
Full Length	Upgrade	Upgrade		Upgrade	Standard	Upgrade	Upgrade	Upgrade	Upgrade	Upgrade	Upgrade
<b>Additional Options</b>											
Anti-Fog Film	Upgrade	Upgrade	Upgrade	Upgrade	Upgrade	Upgrade	Upgrade	Upgrade			
Life Plus Gasket*	Upgrade	Standard		Standard		Upgrade	Standard	Standard	Upgrade	Standard	Standard
Matching Pass-Thru	Yes	Yes		Yes		Yes	Yes	Yes			
<b>Lock Options</b>											
Cylinder Lock	Upgrade	Upgrade		Upgrade		Upgrade	Upgrade	Upgrade	Upgrade	Upgrade	Upgrade
POM Lock	Upgrade	Upgrade	Upgrade	Upgrade	Upgrade	Upgrade	Upgrade	Upgrade	Upgrade	Upgrade	Upgrade
Automatic Door Lock	Upgrade	Upgrade		Upgrade							
Frame-mounted Cylinder Lock			Upgrade								



# LIGHTING

Typically, the last step is to beautifully display merchandise that engages the shopper, enhances the store experience and increases store profitability.

Selecting the right lighting is a crucial decision point in the visual merchandising process. Anthony offers best-in-class lighting, uniformity and high-color rendering that improves product visibility.

Maximize your merchandising effectiveness with our latest lighting technologies; Optimax Radiant or our Clearvoyant® LED System.



SHOWN LEFT  
Silver Infinity 90 Low Temp




SHOWN ABOVE  
Optimax Radiant 45 & Optimax Radiant 55

# OPTIMAX RADIANT Series LED Lighting



Optimax Radiant Series LED vertical mullion lighting makes your merchandise “pop” with superior illuminance, even uniformity, and color saturation. This displays the freshness of the products and entices the shopper to buy more products.



Vertical Lighting

## FEATURES / BENEFITS

- Vertical mullion lighting and optic packages designed for both single-swing and French swing door applications.
- High-color saturation with natural white light color.
- Industry-leading efficiency— up to 118 lumens/watt.
- 100,000-hour L70 life cycle for long-term reliability.
- 24V constant-voltage power supply.
- 85, 90 or 94 CRI available.

*Available in 3500K or 4000K*

# optimax™


SHOWN ON LEFT  
Infinity 90 Silver Satin with Vista Arch Handle.



# CLEARVOYANT® Shelf LEDs



Clearvoyant LEDs brilliantly light products with natural color saturation without creating hotspots or shadows with the use of a frosted lens, adjustable fixture and expertly-designed lights engineered specifically for the application.



Horizontal Lighting

## FEATURES/ BENEFITS

- Horizontal LEDs designed for shelf lighting.
- Variable angle adjustment with positive detents for tuning the illumination on products.
- Diffused lens for ease on customers' eyes while reducing hot spots.
- Optimized lighting uniformity eliminates shadows.
- CRI  $\geq 85$  with a high R9.
- High-color saturation across all color spectrums.
- L85 rating of 60,000 hours.
- 24VDC for increased safety and reliability.
- UL, NSF, IP65, DLC listings.

Available in 4000K

Clearvoyant®  
LED SYSTEM

SHOWN ON LEFT  
Double-Wide Shelving with Clearvoyant LEDs

## Maximize Door Life, Minimize Costs

LifePlus Gasket® provides superior sealing performance and longer life compared to standard PVC gaskets to better lock in refrigerated air and save on energy costs. Made of long-lasting polymer, LifePlus Gasket® retains tight sealing performance throughout repeated thermal changes, including anti-condensate heat cycles, and door openings and closings. LifePlus Gasket offers greater energy efficiency and lowers operating costs by extending gasket life and decreasing the need for maintenance.

- 1-year labor, and 3-year parts replacement warranty
- Increases door gasket life by over 100%
- Last up to 5x longer than conventional PVC gaskets on the market
- Excellent door sealing performance at low temperatures
- Enhanced customer shopping experience by eliminating air leakage
- Reduced maintenance costs



### Applications:

- Cooler and Freezer
- Retrofits onto All Anthony Doors with Aircell PVC Door Gasket


### Standard Features:

- Magnetic Door Gasket for Tight Seal
- 1-Year Labor, 3-Year Parts Warranty
- UL & cUL Compliant

### Standard on Anthony Models:


- 101
- Infinity 90

### 5X Longer Lasting




Number of cycles LifePlus Gasket can experience without wear and tear. 5x the life of traditional gaskets.

### Material Construction




Material properties have a higher resistance to fatigue, providing longer gasket life, energy savings and reduced air leakage.

### Thermal Stability



Maintains a tight door seal regardless of door thermal cycling, saving energy by reducing air leakage.

### Bellow Thickness



Absorbs door slam shock, lengthening life of doors and door hardware.

### Warranty



LifePlus Gasket is covered against defects for 3 years vs. competitor's 30 days.



## Standard Flat Shelving

Anthony's Flat Shelving is standard with all Anthony door models. The shelving is strong, sturdy, and easily installed without any special tools.

### Standard Features

- Ease of installation and repositioning
- Epoxy coated
- Adjustable post height
- Decorative matching price tag molding
- Available in White or Black Finishes

### Accessories

- Shelf posts
- Post retaining bracket
- Wall mounting bracket
- Side product stops
- Shelf stabilizer bar
- Plastic price tag molding
- Metal price tag molding

### Standard Flat Shelving Sizes

Rear Entry Shelf Depths: 24", 27", 36"  
 Door Widths: 23", 24", 26", 28", 30"  
 - Load strength up to 200 lbs per shelf

### Upgrade to Heavy Duty Flat Shelving Sizes

Rear entry shelf depths: 24", 27", 36"  
 Door widths: 23", 24", 26", 28", 30"  
 - Load strength up to 300 lbs per shelf



## Double-Wide Shelving

Anthony's Double-Wide Shelving is an option for your French-style opening door applications. The shelving is strong, sturdy and easily installed without any special tools.



### Standard Features

- Made for French-style doors
- Ease of installation and repositioning
- Epoxy-coated
- Matching single-Wide shelving
- Adjustable post height
- Decorative matching price tag molding
- Available in white or black finishes

### Accessories

- Shelf posts
- Post retaining bracket
- Wall mounting bracket
- Side product stops
- Shelf stabilizer bar
- Plastic price tag molding
- Metal price tag molding

### Double-Wide Flat Shelving

Rear entry shelf depths: 24", 27", & 36"  
 Door widths: 48", 52", 56", & 60"  
 - Load strength up to 300 lbs per shelf

### Single-Wide Flat Shelving

Rear entry shelf depths: 24", 27", & 36"  
 Door widths: 24", 26", 28", & 30"  
 - Load strength up to 200 lbs per shelf

### Options

- Shelf dividers
- Shelf LEDs

# Gravity Flow Shelving

Anthony's Gravity Flow Shelving allows the display and promotion of products in any order, with fully adjustable shelves, lane dividers and front product stops which provides merchandise organization without using tools. Our GFS line accommodates a full range of product sizes, in any configuration, with products sliding forward for constant rotation.

## Standard Features


- Merchandise organization
- Glide sheet provides easy clean up
- Adjustable front stop
- Allows self-fronting of products
- Epoxy-coated
- Uses standard posts up to 86"
- Adjustable post height
- Decorative matching price tag molding
- Available in white or black finishes

## Accessories

- Heavy-duty rollers for heavy products
- Shelf posts
- Post retaining bracket
- Wall mounting bracket
- Side product stops
- Shelf stabilizer bar
- Plastic price tag molding
- Metal price tag molding

## Gravity Flow Shelving

Rear entry shelf depths: 24", 27", 36", & 42"  
Door widths: 24", 26", 28", & 30"  
- Load strength up to 500 lbs per shelf



# Gravity Flow Merchandiser

Anthony's Gravity Flow Merchandiser has all the same features as our Gravity Flow Merchandiser but adds a wider range of depths.



## Standard Features

- Merchandise organization
- Dividers included
- Adjustable front stop
- Allows self-fronting of products
- Epoxy-coated
- Depths from 42" up to 72"
- Adjustable post height
- Decorative matching price tag molding
- Available in white or black finishes

## Accessories

- Heavy-duty rollers for heavy products
- Shelf posts
- Post retaining bracket
- Wall mounting bracket
- Side product stops
- Shelf stabilizer bar
- Plastic price tag molding
- Metal price tag molding

## Gravity Flow Merchandiser

Rear entry shelf depths: 42", 48", 60", & 72"  
Door widths: 24", 26", 28", 30", & 36"  
- Load strength up to 500 lbs per shelf

## Corner Shelving

Anthony shelving corners the market on simplicity and efficiency for two-sided coolers. Available in four standard sizes, Anthony corner shelving greatly reduces the time and expense necessary to process custom orders. Anthony corner shelves are engineered to solve any corner shelf problem with ease.

### Standard Features


- Ease of installation and repositioning
- Epoxy-coated
- Adjustable post height
- Decorative matching price tag molding
- Available in white or black finishes

### Accessories

- Shelf posts
- Post retaining bracket
- Wall mounting bracket
- Side product stops
- Shelf stabilizer bar
- Plastic price tag molding
- Metal price tag molding

### Flat Corner Shelving

Corner shelf depths: 24", & 27"  
 Door widths: 24", 26", 28", & 30"  
 - Load strength up to 300 lbs per shelf



## Mini-Roller System


Driven by gravity, the Mini-Roller System is a one-piece, roller shelf surface that enables multiple-sized facings on the same shelf to slide smoothly and independently to the front of the shelf as items are removed. Ideal for single-serve beverages, the Mini-Roller System also provides labor cost savings by facilitating quick product resets and stocking. Easy to assemble and install in new and existing coolers with extreme flexibility for fast configuration changes.

### Standard Features

- Dividers and clear acrylic front stop easily snap in for different product facings with multiple configurations to fit your needs
- Speeds restocking for labor savings
- No tools required for easy installation
- Easy reconfiguration for merchandising resets

### Mini-Roll Mats

Depths: 27", 36", 42", & 48"  
 Width: 30"



## Specialty Shelving

### Deli-Vue Shelving

- Full Deli-Vue Shelving
- Half Deli-Vue Shelving
- Adjustable Hooks

### Additional Shelving Options & Accessories

- Drip Pans
- Basket Shelves
- Side Product Stops
- Clip-On Vertical Can Dividers
- Shelf Stabilizer Bars
- Single Hook Lane Dividers
- Glide Sheets
- Various Product Dividers
- Adjustable Front Product Stop Rail
- Metal Price Tag Molding
- Heavy-Duty PVC Case Rollers
- Floor Shield
- Wall Mounting Brackets
- Post Retainer Brackets



All shelving kits available in

## ROLL-A-WAY CARTS



**Standard Flat Shelving  
Roll-A-Way Cart**

**76-1/2" Tall Cart**

- Rear entry shelf depths: 24", 27" & 37"
- Door widths: 23", 24", 26", 28", 30", & 32"
- Load strength up to 500 lbs per shelf
- Available in white or black finishes



**Gravity Flow Shelving  
Roll-A-Way Cart**

**80" Tall Cart**

- Rear entry shelf depths: 24", & 27"
- Door widths: 30"
- Load strength up to 500 lbs per Shelf
- Available in white or black finishes

**Gravity Flow Merchandiser  
Roll-A-Way Cart**

**88-3/4" Tall Cart**

- Rear entry shelf depths: 48", 60" & 72"
- Door widths: 30"
- Load strength up to 500 lbs per shelf
- Available in white or black finishes



**Double-Wide,  
Gravity Flow Shelving  
Roll-A-Way Cart**

- Cart depth: 36"
- Cart width: 60"
- Load strength up to 500 lbs per Shelf
- Available in white or black finishes

One source—so many options. Anthony is your one-stop, one-shop, and resource for all your cooler and freezer optimal merchandising needs. Whatever the application, it's clear the Anthony product line has both the breadth and depth to meet your exact requirements. Take advantage of the convenience and peace of mind that come from working with the industry leader. Call us at 800.722.0900 and open the door to Anthony.



three ways  
to order  
today

go to: [www.anthonyintl.com](http://www.anthonyintl.com)  
email: [sales@anthonyintl.com](mailto:sales@anthonyintl.com)  
call: 800-772-0900